

# Master Chemical Drum List



| Material | Material description                  | Drum  | Drum description              | Changing<br>15 July | Empty<br>Drum<br>Weight<br>(Kgs) | Drum Material | Tight<br>Head | Color | Wall Thickness<br>(mm) |
|----------|---------------------------------------|-------|-------------------------------|---------------------|----------------------------------|---------------|---------------|-------|------------------------|
| 109964   | PR_SUNMD 150-65_R208S_100%__U_180K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109965   | PR_SUNMD 153-60S_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109967   | PR_SUNMD 153-60S10_R208S_100%__U_180K | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109968   | PR_SUNMD 153-60S15_R208S_100%__U_180K | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109970   | PR_SUNMD 300-60LH_R208S_100%__U_180K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109971   | PR_SUNMD 300-80_R208S_100%__U_180K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109973   | PR_SUNMD 301-D_R208S_100%__U_180K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109974   | PR_SUNMD 304_R208S_100%__U_180K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109975   | PR_SUNMD 305_R208S_100%__U_180K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109976   | PR_SUNMD 305-60X_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109977   | PR_SUNMD 305-70_R208S_100%__U_180K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109978   | PR_SUNMD 305-70X_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109980   | PR_SUNMD 305-80X_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109981   | PR_SUNMD 305X_R208S_100%__U_180K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109982   | PR_SUNMD 305X-70T_R208S_100%__U_180K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109983   | PR_SUNMD 305X-70X_R208S_100%__U_180K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109984   | PR_SUNMD 306-70_R208S_100%__U_180K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109985   | PR_SUNMD 3060K-6M_R208S_100%__U_180K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109986   | PR_SUNMD 307D-60_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109988   | PR_SUNMD 308D-65_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109989   | PR_SUNMD 308D-65T_R208S_100%__U_180K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109990   | PR_SUNMD 310X_R208S_100%__U_180K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109991   | PR_SUNMD 315_R208S_100%__U_180K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109992   | PR_SUNMD 3155_R208S_100%__U_180K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109993   | PR_SUNMD 315KT_R208S_100%__U_180K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109994   | PR_SUNMD 315L_R208S_100%__U_180K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109995   | PR_SUNMD 315NW_R208S_100%__U_180K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109996   | PR_SUNMD 3160_R208S_100%__U_180K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109997   | PR_SUNMD 328A_R208S_100%__U_180K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 109998   | PR_SUNMD 330_R208S_100%__U_180K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110000   | PR_SUNMD 333_R208S_100%__U_180K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110001   | PR_SUNMD 335A_R208S_100%__U_180K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110002   | PR_SUNMD 340L-1_R208S_100%__U_180K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110003   | PR_SUNMD 350_R208S_100%__U_180K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110005   | PR_SUNMD 353N_R208S_100%__U_180K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110007   | PR_SUNMD 360-65K_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110008   | PR_SUNMD 381_R208S_100%__U_180K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110010   | PR_SUNMD 390_R208S_100%__U_180K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110011   | PR_SUNMD 390-70_R208S_100%__U_180K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110032   | PR_SUNMD 70_R208S_100%__U_180K        | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110034   | PR_SUNMD 73_R208S_100%__U_180K        | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110035   | PR_SUNMD 75_R208S_100%__U_180K        | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110037   | PR_SUNMD 75IL_R208S_100%__U_180K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |
| 110039   | PR_SUNMD 75IM_R208S_100%__U_180K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES                 | 16.1                             | STEEL         | YES           | BLACK | 0.9                    |

| Material | Material description                 | Drum  | Drum description                     | Changing | Empty             | Drum Material | Tight | Color | Wall Thickness |
|----------|--------------------------------------|-------|--------------------------------------|----------|-------------------|---------------|-------|-------|----------------|
|          |                                      |       |                                      | 15 July  | Drum Weight (Kgs) |               |       |       |                |
| 110045   | PR_ANCAMN 2635_R208S_100%__U_180K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110047   | PR_ANCAMN 2636_R208S_100%__U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110049   | PR_ANCAMD 2652_R208S_100%__U_180K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110054   | PR_ANCAMD 903MA_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110065   | PR_SUNMD CX-101_R208S_100%__U_180K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110066   | PR_SUNMD D-1000_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110067   | PR_SUNMD D-1100_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110069   | PR_SUNMD D-3002_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110071   | PR_SUNMD E-1000_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110072   | PR_SUNMD E-1000P_R208S_100%__U_180K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110073   | PR_SUNMD E-1000XB_R208S_100%__U_180K | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110084   | PR_SUNMD I-544_R208S_100%__U_180K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110086   | PR_SUNMD I-965_R208S_100%__U_180K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110087   | PR_SUNMD IM-544_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110088   | PR_SUNMD J-1000T_R208S_100%__U_180K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110089   | PR_SUNMD J-230N_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110091   | PR_SUNMD J-230NK_R208S_100%__U_180K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110093   | PR_SUNMD P117_R208S_100%__U_180K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110095   | PR_SUNMD TX-983_R208S_100%__U_180K   | 48357 | RC_CNTNRDRUM_R208S_TH_U_BLACK__PE    | No       | 20.5              | STEEL         | YES   | BLACK | 1              |
| 110097   | PR_SUNMD WH-1000_R208S_100%__U_180K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110099   | PR_SUNMD WH-900_R208S_100%__U_180K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110100   | PR_SUNMD X-2000A_R208S_100%__U_180K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 110101   | PR_SUNMD X-2700_R208S_100%__U_180K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114452   | PR_DABCO C-P 4.0_R208S_100%__U_202K  | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114454   | PR_DABCO JXP501_R208S_100%__U_197K   | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114455   | PR_DABCO JXP502_R208S_100%__U_219K   | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114456   | PR_DABCO MP601_R208S_100%__U_206K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114457   | PR_DABCO MP602_R208S_100%__U_189K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114458   | PR_POLYCT 4801_R208S_100%__U_200K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114459   | PR_DABCO PT301_R208S_100%__U_200K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114460   | PR_DABCO PT302_R208S_100%__U_185K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114461   | PR_DABCO PT303_R208S_100%__U_155K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114462   | PR_DABCO PT304_R208S_100%__U_183K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114463   | PR_DABCO PT305_R208S_100%__U_246K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114466   | PR_DABCO RP201_R208S_100%__U_220K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114468   | PR_DABCO RP203_R208S_100%__U_204K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114470   | PR_DABCO XD101_R208S_100%__U_220K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114472   | PR_DABCO XD102_R208S_100%__U_209K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114591   | PR_TMIN EPH2_R208S_100%__U_209K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114593   | PR_TMIN PA10L_R208S_100%__U_172K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114597   | PR_TMIN PA12EH_R208S_100%__U_172K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114600   | PR_TMIN PA1214_R208S_100%__U_172K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114602   | PR_TMIN DA1214_R208S_100%__U_181K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114607   | PR_TMIN PA14S 30A_R208S_100%__U_177K | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114610   | PR_TMIN PA14_R208S_100%__U_172K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114612   | PR_TMIN PA14A_R208S_100%__U_181K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114616   | PR_TMIN PA14 30A_R208S_100%__U_181K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 114618   | PR_TMIN PA14 5A_R208S_100%__U_172K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |

| Material | Material description                | Drum   | Drum description                | Changing | Empty             | Drum Material | Tight | Color   | Wall Thickness |
|----------|-------------------------------------|--------|---------------------------------|----------|-------------------|---------------|-------|---------|----------------|
|          |                                     |        |                                 | 15 July  | Drum Weight (Kgs) |               |       |         |                |
| 114620   | PR_TMIN PA14 20A_R208S_100%__U_177K | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114623   | PR_TMIN DA14_R208S_100%__U_181K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114625   | PR_TMIN PA16_R208S_100%__U_172K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114628   | PR_TMIN DA16_R208S_100%__U_181K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114631   | PR_TMIN DA16 30A_R208S_100%__U_181K | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114633   | PR_TMIN DA1618_R208S_100%__U_181K   | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114636   | PR_TMIN PA17_R208S_100%__U_172K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114642   | PR_TMIN DA17_R208S_100%__U_181K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114644   | PR_TMIN PA1816_R208S_100%__U_172K   | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114646   | PR_TMIN PA19_R208S_100%__U_172K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114658   | PR_TMIN ALKSUR_R208E_100%__U_204K   | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114666   | PR_TMIN AO405_R208E_100%__U_204K    | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114670   | PR_TMIN AO455_R208E_100%__U_204K    | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114672   | PR_TMIN AO14-2PG_R208E_100%__U_209K | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114675   | PR_TMIN AO728S_R208E_100%__U_193K   | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114678   | PR_TMIN AMPHL_R208E_100%__U_204K    | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114682   | PR_TMIN AMPHLH_R208E_100%__U_204K   | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114685   | PR_TMIN AMPHN_R208E_100%__U_204K    | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114689   | PR_TMIN AMPHSC_R208E_100%__U_204K   | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114694   | PR_TMIN AMPH400_R208E_100%__U_204K  | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114697   | PR_TMIN E14-2_R208S_100%__U_181K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114699   | PR_TMIN E14-5_R208S_100%__U_200K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114701   | PR_TMIN P14-5_R208S_100%__U_195K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114703   | PR_TMIN EP14-55_R208S_100%__U_200K  | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114705   | PR_TMIN E17-2_R208S_100%__U_181K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114707   | PR_TMIN E19-2_R208S_100%__U_181K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114709   | PR_INFMC9447_R208S_100%__R_181K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114712   | PR_TMIN ET2_R208S_100%__U_181K      | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114715   | PR_TMIN ET15_R208S_100%__U_204K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114718   | PR_TMIN EDT3_R208S_100%__U_181K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114720   | PR_TMIN E18-2_R208S_100%__U_184K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114724   | PR_TMIN ES15_R208S_100%__U_204K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114726   | PR_TMIN EC2_R208S_100%__U_181K      | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114729   | PR_TMIN EC15_R208S_100%__U_204K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK   | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114732   | PR_TMIN Q14-2_R208E_100%__U_193K    | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114736   | PR_TMIN Q14-2PG_R208E_100%__U_193K  | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114738   | PR_TMIN Q14-5PG_R208E_100%__U_204K  | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114742   | PR_TMIN Q17-2_R208E_100%__U_193K    | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114745   | PR_TMIN Q17-2PG_R208E_100%__U_193K  | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114747   | PR_TMIN QDT_R208E_100%__U_181K      | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114751   | PR_TMIN QDTHG_R208E_100%__U_193K    | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114752   | PR_TMIN QS70HG_R208E_100%__U_193K   | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114759   | PR_TMIN EMUL4HF_R208E_100%__U_204K  | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114763   | PR_TDRY N7_R208E_100%__U_186K       | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114765   | PR_TDRY N3_R208E_100%__U_186K       | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114767   | PR_TDRY N5C_R208E_100%__U_177K      | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114770   | PR_TMIN QST50_R208E_100%__U_181K    | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114772   | PR_TMIN QS80_R208E_100%__U_193K     | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |

| Material | Material description                | Drum   | Drum description                     | Changing | Empty             | Drum Material | Tight | Color   | Wall Thickness |
|----------|-------------------------------------|--------|--------------------------------------|----------|-------------------|---------------|-------|---------|----------------|
|          |                                     |        |                                      | 15 July  | Drum Weight (Kgs) |               |       |         |                |
| 114775   | PR_TMIN QT280_R208E_100%__U_181K    | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114777   | PR_TMIN QT270PG_R208E_100%__U_193K  | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114780   | PR_TMIN QC15_R208E_100%__U_204K     | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114784   | PR_TMIN ACIDFOA_R208E_100%__U_204K  | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114788   | PR_TDYN 100_R208E_100%__U_200K      | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114792   | PR_TDYN 102_R208E_100%__U_200K      | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114795   | PR_TDYN 104_R208E_100%__U_197K      | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114798   | PR_TDYN 106_R208E_100%__U_181K      | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114802   | PR_TKLN TFRII_R208E_100%__U_215K    | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114805   | PR_TDRY N8_R208E_100%__U_181K       | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114809   | PR_TDRY N4_R208E_100%__U_186K       | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 114812   | PR_TMIN INHB60Q_R208S_100%__U_204K  | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114815   | PR_TMIN INHB60S_R208S_100%__U_193K  | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114816   | PR_TMIN ANTICK17_R208S_100%__U_172K | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114821   | PR_TMIN ACIDTHI_R208S_100%__U_181K  | 48359  | RC_CNTNRDRUM_R208S_OH_U_BLACK        | No       | 21.3              | STEEL         | No    | BLACK   | 1.1            |
| 114823   | PR_TDOL 1200_R208S_100%__U_204K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114826   | PR_TDOL 400_R208S_100%__U_191K      | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114830   | PR_TDOL 900_R208S_100%__U_200K      | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114832   | PR_TDOL 901_R208S_100%__U_200K      | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114834   | PR_TDOL 910_R208S_100%__U_200K      | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114837   | PR_TDOL 1-3_R208S_100%__U_188K      | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114839   | PR_TDOL 1-5_R208S_100%__U_197K      | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114841   | PR_NDOL 1-5_R208S_100%__R_197K      | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114844   | PR_TDOL 1-7_R208S_100%__U_202K      | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114846   | PR_TDOL 1-9_R208S_100%__U_204K      | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114848   | PR_NDOL 1-9_R208S_100%__R_204K      | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114851   | PR_TDOL 1-73B_R208S_100%__U_197K    | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114857   | PR_TDOL 1503_R208S_100%__U_200K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114861   | PR_TDOL 23-1_R208S_100%__U_177K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114863   | PR_TDOL 23-3_R208S_100%__U_188K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114867   | PR_TDOL 23-5_R208S_100%__U_195K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114869   | PR_TDOL 23-6.5_R208S_100%__U_200K   | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114872   | PR_TDOL 25-3_R208S_N__UN_U_188K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114877   | PR_TDOL 25-7_R208S_100%__U_200K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114879   | PR_TDOL 25-9_R208S_100%__U_204K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114881   | PR_TDOL 25-12_R208S_100%__U_204K    | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114884   | PR_TDOL 25-20_R208S_100%__U_200K    | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114886   | PR_TDOL 45-7_R208S_100%__U_197K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114888   | PR_TDOL 45-13_R208S_100%__U_206K    | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114891   | PR_TDOL 91-2.5_R208S_100%__U_188K   | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114896   | PR_TDOL 91-6_R208S_N__UN_U_200K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114898   | PR_NDOL 91-6_R208S_100%__R_200K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114900   | PR_TDOL 91-6_R208S_LS__UN_U_195K    | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114902   | PR_TDOL 91-6ME_R208S_N__U_193K      | 32042  | RC_CNTNRDRUM_R208S_TH_L_BLUE         | No       | 19                | STEEL         | YES   | BLUE    | 1.1            |
| 114904   | PR_TDOL 91-8_R208S_100%__U_204K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114906   | PR_NDOL 91-8_R208S_100%__R_204K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114910   | PR_INFMC9487_R208S_100%__R_181K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114911   | PR_NTEL 1242_R208S_100%__U_188K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |

| Material | Material description                 | Drum   | Drum description                     | Changing | Empty             | Drum Material | Tight | Color   | Wall Thickness |
|----------|--------------------------------------|--------|--------------------------------------|----------|-------------------|---------------|-------|---------|----------------|
|          |                                      |        |                                      | 15 July  | Drum Weight (Kgs) |               |       |         |                |
| 114916   | PR_NDET SF3_R208S_100%__U_200K       | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114918   | PR_NDET SF5_R208S_100%__U_202K       | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114920   | PR_NDET RK18_R208S_100%__U_204K      | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114922   | PR_BVIS 388_R208E_100%__R_227K       | 32033  | RC_CNTNRDRUM_DRUM_R208E_TH_U_BLUE    | No       | 9.5               | HDPE Plastic  | YES   | BLUE    | 2.2 min.       |
| 114928   | PR_INFMC9480_R208S_100%__R_181K      | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114930   | PR_TMIN PDT2_R208S_100%__U_181K      | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114933   | PR_APDEA_R208S_100%__U_213K          | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114937   | PR_NDOL 91_R208S_100%__R_163K        | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114939   | PR_NDOL 25_R208S_100%__R_163K        | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 114983   | PR_TDOL 91-6ME_R208E_CRUDE__U        | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 115014   | BK_4H-TEMPO__35%__U                  | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 122731   | PR_SURFYN DF1175_R208S_100%__U_190K  | 48360  | RC_CNTNRDRUM_R208S_OH_L_BLACK__EP/PH | No       | 19.3              | STEEL         | No    | BLACK   | 1              |
| 122875   | PR_ANCRZ AP20_R208S_100%__U_200K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 123187   | PR_SURFYN MB-W_R208S_100%__U_175K    | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 123638   | PR_ENVIROGEM 360_R208S_100%__U_200K  | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 124352   | PR_ZETASPRS 1200_R208S_100%__U_215K  | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 124452   | PR_ZETASPRS 1600_R208S_100%__U_210K  | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 124468   | PR_ZETASPRS 1400_R208S_100%__U_215K  | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 124473   | PR_ZETASPRS 2300_R208S_100%__U_205K  | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 124475   | PR_ZETASPRS 2100_R208S_100%__U_205K  | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 127684   | PR_ANCAMD 2634SF_R208S_100%__U_200K  | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 128459   | PR_ANCAMD 2569_R208S_100%__U_190K    | 48359  | RC_CNTNRDRUM_R208S_OH_U_BLACK        | No       | 21.3              | STEEL         | No    | BLACK   | 1.1            |
| 129139   | PR_SURFYN DF110BC_R208S_100%__U_180K | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 129150   | PR_SURFYN MD40_R208S_100%__U_190K    | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 129553   | PR_ANCAMN 2653_R208S_100%__U_200K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 131259   | PR_ANCAMN 2564A_R208S_100%__U_204K   | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 131387   | PR_ANCAMN 2654_R208S_100%__U_200K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 132623   | PR_AMICRE UR_R155F_7/10__UN_U_25K    | 32016  | RC_CNTNRDRUM_R155F_OH_NATURAL        | No       | 5                 | Fiber         | No    | NATURAL |                |
| 132624   | PR_AMICRE UR2T_R155F_100%__U_25K     | 32016  | RC_CNTNRDRUM_R155F_OH_NATURAL        | No       | 5                 | Fiber         | No    | NATURAL |                |
| 133336   | PR_DABCO 33LX_R208S_100%__U_210K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 133368   | PR_JEFFCAT DMCHA_R208S_100%__U_170K  | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 133370   | PR_JEFFCAT PMDETA_R208S_100%__U_160K | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 133371   | PR_POLYCT 9_R208S_100%__U_170K       | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 134112   | PR_DEFT RB4_R208S_100%__U_167K       | 48359  | RC_CNTNRDRUM_R208S_OH_U_BLACK        | No       | 21.3              | STEEL         | No    | BLACK   | 1.1            |
| 134184   | PR_SURFYN 500S_R61F_100%__U_20K      | 32029  | RC_CNTNRDRUM_R61F_OH_L_GREEN         | No       | 2.5               | Fiber         | No    | GREEN   |                |
| 134221   | PR_DABCO 8155_R208E_100%__U_215K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 135386   | PR_ANCAMD 2656_R208S_100%__U_195K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 135402   | PR_ANCAMD 2657_R208S_100%__U_190K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 135512   | PR_ANCAMN 2655_R208S_100%__U_195K    | 48358  | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 136087   | PR_POLYCT 36_R208S_100%__U_180K      | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 136260   | PR_ANCAMN 2660_R208S_100%__U_200K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 136586   | PR_POLYCT 95_R208S_100%__U_170K      | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 136638   | PR_SURFYN DF178_R208S_100%__U_200K   | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 136799   | PR_ANQUAMN 721_R208S_100%__U_200K    | 48361  | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK   | 1              |
| 137528   | PR_ANCAMD 221_R208S_100%__U_190K     | 48359  | RC_CNTNRDRUM_R208S_OH_U_BLACK        | No       | 21.3              | STEEL         | No    | BLACK   | 1.1            |
| 137770   | PR_ANCAMD 221X70_R208S_100%__U_190K  | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 139107   | PR_ANCAMD 507A_R208S_100%__U_186K    | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 139230   | PR_CURZL 2MZAINE_R155F_5/7__UN_U_18K | 32016  | RC_CNTNRDRUM_R155F_OH_NATURAL        | No       | 5                 | Fiber         | No    | NATURAL |                |

| Material | Material description                 | Drum   | Drum description                     | Changing | Empty             | Drum Material | Tight | Color   | Wall Thickness |
|----------|--------------------------------------|--------|--------------------------------------|----------|-------------------|---------------|-------|---------|----------------|
|          |                                      |        |                                      | 15 July  | Drum Weight (Kgs) |               |       |         |                |
| 139525   | PR_DABCO C53_R208S_100%_U_200K       | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 140579   | PR_INNVTHN 201_R208S_100%_U_215K     | 48358  | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 140580   | PR_INNVTHN 101_R208S_100%_U_215K     | 48358  | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 140586   | PR_POLYCT 30_R208S_100%_U_160K       | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 141299   | PR_ANCAMN 2659_R208S_100%_U_192K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 142334   | PR_DABCO RP202_R208S_100%_U_186K     | 48358  | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 142835   | PR_DABCO BLX11_R208S_100%_U_180K     | 48358  | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 143249   | PR_ANQUAMN 731_R208S_100%_U_200K     | 48361  | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK   | 1              |
| 143253   | PR_DABCO KTM70_R208S_100%_U_210K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 143337   | PR_DABCO BLX13_R208S_100%_U_200K     | 48358  | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 143341   | PR_ANCAMN 2669_R208S_100%_U_190K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 143350   | PR_ANCAMN 2668_R208S_100%_U_190K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 143352   | PR_SUNMD 305-70SB_R208S_100%_U_180K  | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 143427   | PR_SURFYN MD600S_R61F_100%_U_20K     | 32029  | RC_CNTNRDRUM_R61F_OH_L_GREEN         | No       | 2.5               | Fiber         | No    | GREEN   |                |
| 143445   | PR_ANCAMN 2672_R208S_100%_U_200K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 143921   | PR_ZETASPRS 3400_R208S_100%_U_214K   | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 144309   | PR_ANCAMD 351A_R208S_100%_U_190K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 144521   | PR_DABCO XD103_R208S_100%_U_201K     | 48358  | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 144523   | PR_VERSLNK C138_R57F_100%_U_25K      | 32018  | RC_CNTNRDRUM_R57F__NATURAL           | No       | 1.4               | Fiber         | No    | NATURAL |                |
| 145267   | PR_TDYN WDX_R208E_100%_U_180K        | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 145277   | PR_TDOL 25-12_R208S_100%_U_204K      | 48363  | RC_CNTNRDRUM_R208S_OH_L_BLACK__1.1MM | No       | 21.8              | STEEL         | No    | BLACK   | 1.1            |
| 145784   | PR_ANCAMN 2575_R208S_100%_U_200K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 145792   | PR_ANCAMN 2661_R208S_100%_U_220K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 145814   | PR_DABCO 2040_R208S_100%_U_205K      | 48358  | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 146069   | PR_TMIN EMUL4_R208E_100%_U_193K      | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 146113   | PR_TMIN AO14-2_R208E_100%_U_193K     | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 146787   | PR_ZETASPRS 3700_R208S_100%_U_216K   | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 147388   | PR_DABCO 2033_R208S_100%_U_200K      | 48358  | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 148000   | PR_ANCAMN 2675_R208S_100%_U_195K     | 48358  | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 148301   | PR_POLYCT 38_R208S_100%_U_200K       | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 149079   | PR_ZETASPRS 2500_R208S_100%_U_210K   | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 149086   | PR_ANCAMD 702B75_R208S_100%_U_190K   | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 149117   | PR_DABCO BL-23_R208S_100%_U_180K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 149224   | PR_TMIN E17-5_R208S_100%_U_193K      | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 149320   | PR_TDOL L124_R208S_100%_U_200K       | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 149325   | PR_TDOL L130_R208S_100%_U_202K       | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 149327   | PR_TDOL L80_R208S_100%_U_187K        | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 149329   | PR_TDOL L144_R208S_100%_U_209K       | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 150087   | PR_ANQUAMN 724_R208S_100%_U_200K     | 48361  | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK   | 1              |
| 150202   | PR_ANCAMD 261A_R208S_100%_U_190K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 150845   | PR_ZETASPRS 3100_R208S_100%_U_224K   | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 151101   | PR_ANCAMN 2678_R208S_100%_U_195K     | 48358  | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 151429   | PR_TMIN EMUL300_R208E_100%_U_193K    | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 151446   | PR_TDRY DAB_R208E_100%_U_186K        | 115074 | RC_CNTNRDRUM_R208E_TH_U_NATURAL      | No       | 9.5               | HDPE Plastic  | YES   | NATURAL | 3.5 min.       |
| 151468   | PR_ANCAMN Z_R208S_100%_U_221K        | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 151469   | PR_ANCAMN 1483_R208S_100%_U_207K     | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 151496   | SA_TDOL EXPLMP_R208S_100%_U_193K     | 48368  | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 151577   | PR_ANCAMD 220IPA73_R208S_100%_U_176K | 48366  | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |

| Material | Material description                | Drum  | Drum description                    | Changing | Empty             | Drum Material | Tight Head | Color   | Wall Thickness (mm) |
|----------|-------------------------------------|-------|-------------------------------------|----------|-------------------|---------------|------------|---------|---------------------|
|          |                                     |       |                                     | 15 July  | Drum Weight (Kgs) |               |            |         |                     |
| 151578   | PR_ANCAMD 2137_R208S_100%_U_197K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | £ 16.10           | STEEL         | YES        | BLACK   | £ 0.90              |
| 151580   | PR_ANCAMN 1693_R208S_100%_U_201K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 151639   | PR_ANCAMN 2390_R208S_100%_U_188K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 151693   | PR_ANCAMD 2438_R208S_100%_U_190K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 15240    | BK_PLURONIC P 105 SPECIAL           | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 152922   | PR_ANCAMN 2681_R208S_100%_U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 153743   | PR_ANCAMN 2684_R208S_100%_U_195K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 153977   | PR_SUNMD 153-60S_R208S_100%_U_190K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154098   | PR_ANCAMN 2686_R208S_100%_U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154149   | PR_SUNMD 315_R208S_100%_U_190K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154150   | PR_SUNMD 353N_R208S_100%_U_190K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154151   | PR_SUNMD 305_R208S_100%_R_190K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154183   | PR_SUNMD 307D-60_R208S_100%_U_190K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154184   | PR_SUNMD 390_R208S_100%_U_190K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154185   | PR_SUNMD 3155_R208S_100%_U_190K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154186   | PR_SUNMD I-544_R208S_100%_U_190K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154187   | PR_SUNMD 305-80X_R208S_100%_U_190K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154188   | PR_SUNMD 315L_R208S_100%_U_190K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154189   | PR_SUNMD 73_R208S_100%_U_190K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154190   | PR_SUNMD 75IL_R208S_100%_U_190K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154191   | PR_SUNMD 328A_R208S_100%_U_190K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154192   | PR_SUNMD 75_R208S_100%_U_190K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154744   | PR_ANCAMN 2685_R208S_100%_U_190K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 154824   | PR_DICYNX 1200_R155F_100%_U_45K     | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No         | NATURAL |                     |
| 154854   | PR_DICYNX 1400B_R155F_100%_U_30K    | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No         | NATURAL |                     |
| 154855   | PR_ANCAMN 2337S_R155F_100%_U_30K    | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No         | NATURAL |                     |
| 154856   | PR_AMICRE CG1400_R155F_100%_U_30K   | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No         | NATURAL |                     |
| 154870   | PR_DICYNX 325_R155F_100%_U_45K      | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No         | NATURAL |                     |
| 154874   | PR_ANCAMN 2014FG_R155F_100%_U_30K   | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No         | NATURAL |                     |
| 154875   | PR_AMICRE CG325_R155F_100%_U_45K    | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No         | NATURAL |                     |
| 154876   | PR_ANCAMN 2014AS_R155F_100%_U_45K   | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No         | NATURAL |                     |
| 154877   | PR_DICYNX 1200F_R155F_100%_U_45K    | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No         | NATURAL |                     |
| 155064   | PR_ANCAMN 2687_R208S_100%_U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 155283   | PR_CARBOWET 13-40_R208S_100%_U_220K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 155459   | PR_ANCAMN 2689_R208S_100%_U_195K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 155622   | PR_DABCO CRYSTLINE_R50F_100%_U_25K  | 32013 | RC_CNTNRDRUM_R50F_NAT_U_OH          | No       | 2.8               | Fiber         | No         | NATURAL |                     |
| 156297   | PR_DABCO DC 5LE_R208S_100%_U_213K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 156367   | PR_TDOL 910_E1000E_100%_U_935K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 156982   | PR_POLYCT 420_R208S_100%_U_190K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 157439   | PR_ANCAMN 2609_R208S_100%_U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 157662   | PR_ANCAMN 2692_R208S_100%_U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 157799   | PR_ANCAMN 2683_R208S_100%_U_202K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 157831   | PR_ANCAMN 2691_R208S_100%_U_195K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 157832   | PR_INNVTHN 222_R208S_100%_U_215K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 158867   | PR_POLYCT 31_R208S_100%_U_165K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 159189   | SA_TDOL EXPLMP_R208S_100%_U_173K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 159906   | PR_DABCO RP204_R208S_100%_U_196K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |
| 161414   | PR_ANCAMN 1799_R208S_100%_U_195K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES        | BLACK   | 0.9                 |

|          |                                       |       |                                     | Empty Drum       |              |               |            |         | Wall Thickness |
|----------|---------------------------------------|-------|-------------------------------------|------------------|--------------|---------------|------------|---------|----------------|
| Material | Material description                  | Drum  | Drum description                    | Changing 15 July | Weight (Kgs) | Drum Material | Tight Head | Color   | (mm)           |
| 161797   | PR_DABCO BX405_R208S_100%_U_183K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 161861   | PR_DABCO NE350_R208S_100%_U_185K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 161863   | PR_DABCO NE330_R208S_100%_U_190K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 162010   | PR_DABCO XD104_R208S_100%_U_217K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 162331   | PR_ANCAMN 2695_R208S_100%_U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 162637   | PR_AIRTHN PPT90A_R208S_100%_U_204K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 163035   | PR_ANCAMD 2697_R208S_100%_U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 163327   | PR_AMICRE CG325G_R155F_100%_U_45K     | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No               | 5            | Fiber         | No         | NATURAL |                |
| 165951   | PR_AMICRE DAMDA_R208S_100%_U_190K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32228    | PR_SURFYN 104DPM_R208S_100%_U_181.4K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32232    | PR_SURFYN PG50_R208S_100%_U_192.8K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32416    | PR_ENVIROGEM AE01_R208S_100%_U_215.5K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32418    | PR_ENVIROGEM AE02_R208S_100%_U_215.5K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32420    | PR_ENVIROGEM AE03_R208S_100%_U_215.5K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32447    | PR_ANCOR LB503_R208E_100%_U_204.1K    | 32033 | RC_CNTNRDRUM_DRUM_R208E_TH_U_BLUE   | No               | 9.5          | HDPE Plastic  | YES        | BLUE    | 2.2 min.       |
| 32460    | PR_CARBOWET KZN_R208S_100%_U_181.4K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32467    | PR_SURFYN CT111_R208S_100%_U_199.6K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32469    | PR_SURFYN CT121_R208E_100%_U_204.1K   | 32033 | RC_CNTNRDRUM_DRUM_R208E_TH_U_BLUE   | No               | 9.5          | HDPE Plastic  | YES        | BLUE    | 2.2 min.       |
| 32472    | PR_SURFYN CT131_R208S_100%_U_208.7K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32475    | PR_SURFYN CT136_R208S_100%_U_208.7K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32477    | PR_SURFYN CT141_R208S_100%_U_213.2K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32479    | PR_SURFYN CT151_R208S_100%_U_226.8K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32481    | PR_SURFYN CT171_R208E_100%_U_213.2K   | 32033 | RC_CNTNRDRUM_DRUM_R208E_TH_U_BLUE   | No               | 9.5          | HDPE Plastic  | YES        | BLUE    | 2.2 min.       |
| 32484    | PR_SURFYN CT211_R208S_100%_U_205K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32487    | PR_SURFYN CT221_R208S_100%_U_210K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32489    | PR_SURFYN CT231_R208S_100%_U_210K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32491    | PR_SURFYN CT324_R208S_100%_U_208.7K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32494    | PR_DYNOL 604_R208S_100%_U_199.6K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32498    | PR_SURFYN DF110D_R208S_100%_U_199.6K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32502    | PR_SURFYN DF110L_R208S_100%_U_174.6K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32503    | PR_SURFYN DF75_R208S_100%_U_199.6K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32505    | PR_SURFYN DF75_R208S_100%_U_199.6K    | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK_EP/PH | No               | 19.3         | STEEL         | No         | BLACK   | 1              |
| 32508    | PR_DM HEXANEDIOL_R66F_100%_U_24.9K    | 32019 | RC_CNTNRDRUM_R66F_OH_L_BLUE         | No               | 3            | Fiber         | No         | BLUE    |                |
| 32523    | PR_ENVIROGEM AD01_R208S_100%_U_176.9K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32697    | PR_SURFYN FS80_R208S_100%_U_204.1K    | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK_EP/PH | No               | 19.3         | STEEL         | No         | BLACK   | 1              |
| 32699    | PR_SURFYN FS85_R208S_100%_U_204.1K    | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK_EP/PH | No               | 19.3         | STEEL         | No         | BLACK   | 1              |
| 32703    | PR_SURFYN MB_R208S_100%_U_174.6K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32706    | PR_ME PENTYNOL_R208S_100%_U_174.6K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32708    | PR_SURFYN PSA204_R208S_100%_U_190.5K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32709    | PR_SURFYN PSA216_R208S_100%_U_208.7K  | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK_EP/PH | No               | 19.3         | STEEL         | No         | BLACK   | 1              |
| 32737    | PR_SURFYN 104A_R208S_100%_U_176.9K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32742    | PR_SURFYN 104E_R208S_100%_U_204.1K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32744    | PR_SURFYN 104H_R208S_100%_U_192.8K    | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK_EP/PH | No               | 19.3         | STEEL         | No         | BLACK   | 1              |
| 32748    | PR_SURFYN 104_R208S_100%_U_181.4K     | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK_EP/PH | No               | 19.3         | STEEL         | No         | BLACK   | 1              |
| 32750    | PR_SURFYN 104_R208S_100%_U_181.4K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |
| 32751    | PR_SURFYN 104S_R61F_100%_U_20K        | 32029 | RC_CNTNRDRUM_R61F_OH_L_GREEN        | No               | 2.5          | Fiber         | No         | GREEN   |                |
| 32752    | PR_SURFYN 104S_R208F_100%_U_68K       | 32025 | RC_CNTNRDRUM_R208F_OH_L_GREEN       | No               | 6            | Fiber         | No         | GREEN   |                |
| 32757    | PR_SURFYN 124_R208S_100%_U_174.6K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES              | 16.1         | STEEL         | YES        | BLACK   | 0.9            |

| Material | Material description                 | Drum  | Drum description                     | Changing<br>15 July | Empty<br>Drum   | Drum Material | Tight<br>Head | Color | Wall Thickness<br>(mm) |
|----------|--------------------------------------|-------|--------------------------------------|---------------------|-----------------|---------------|---------------|-------|------------------------|
|          |                                      |       |                                      |                     | Weight<br>(Kgs) |               |               |       |                        |
| 32761    | PR_SURFYN 2502_R208S_100%__U_204.1K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32764    | PR_SURFYN 420_R208S_100%__U_190K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32767    | PR_SURFYN 440_R208S_100%__U_200K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32769    | PR_SURFYN 465_R208S_100%__U_210K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32772    | PR_SURFYN 485_R208S_100%__U_217.7K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32774    | PR_SURFYN 485W_R208S_100%__U_215.5K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32781    | PR_SURFYN 61_R208S_100%__U_174.6K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32783    | PR_SURFYN 72_R208S_100%__U_167.8K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32786    | PR_SURFYN 82_R208S_100%__U_186K      | 48360 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | No                  | 19.3            | STEEL         | No            | BLACK | 1                      |
| 32789    | PR_SURFYN 82PG_R208S_100%__U_181.4K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32790    | PR_SURFYN 82S_R61F_100%__U_20K       | 32029 | RC_CNTNRDRUM_R61F__OH_L_GREEN        | No                  | 2.5             | Fiber         | No            | GREEN |                        |
| 32794    | PR_SURFYN D101_R208S_100%__U_181.4K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32797    | PR_SURFYN GA_R208S_100%__U_204.1K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32799    | PR_SURFYN MD20_R208S_100%__U_180K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32802    | PR_SURFYN PC_R208S_100%__U_195K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32805    | PR_SURFYN SEF_R208S_100%__U_181.4K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32807    | PR_SURFYN SE_R208S_100%__U_181.4K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32811    | PR_SURFYN TGE_R208S_100%__U_204.1K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32812    | PR_SURFYN TG_R208S_100%__U_204.1K    | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK__EP/PH | No                  | 19.3            | STEEL         | No            | BLACK | 1                      |
| 32815    | PR_SURFYN TG_R208S_100%__U_204.1K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32818    | PR_SURFYN 104BC_R208S_100%__U_181.4K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32823    | PR_SURFYN 104NP_R208S_100%__U_170.1K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32827    | PR_SURFYN 104PA_R208S_100%__U_174.6K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32830    | PR_SURFYN 104PG_R208S_100%__U_181.4K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32840    | PR_SURFYN DF210_R208S_100%__U_186K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32842    | PR_SURFYN DF210_R208S_100%__U_186K   | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK__EP/PH | No                  | 19.3            | STEEL         | No            | BLACK | 1                      |
| 32844    | PR_SURFYN DF37_R208S_100%__U_195K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32848    | PR_SURFYN DF574_R208S_100%__U_179.2K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32850    | PR_SURFYN DF58_R208S_100%__U_199.6K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32852    | PR_SURFYN DF62_R208S_100%__U_195K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32853    | PR_SURFYN DF66_R208S_100%__U_204.1K  | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK__EP/PH | No                  | 19.3            | STEEL         | No            | BLACK | 1                      |
| 32856    | PR_SURFYN DF695_R208S_100%__U_199.6K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32858    | PR_SURFYN DF70_R208S_100%__U_179.2K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 32861    | PR_SURFYN OP340_R208S_100%__U_190.5K | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK__EP/PH | No                  | 19.3            | STEEL         | No            | BLACK | 1                      |
| 32974    | PR_XS139_R208S_100%__U_186K          | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 33044    | PR_CARBOWET DC01_R208S_100%__U_200K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 33768    | PR_ANCAMN 2638_R208S_100%__U_200K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 34807    | PR_TMPDA_R208S_100%__U_156K          | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 35167    | PR_POLYCT DP3A_R208S_100%__U_170K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 35485    | PR_ANCAMN 2581_R208S_100%__U_204K    | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No                  | 21.3            | STEEL         | No            | BLACK | 1                      |
| 35526    | PR_ANCAMD 2639_R208S_100%__U_190K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 35686    | PR_ANCAMN 2628_R208S_100%__U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 37346    | PR_DYNOL 607_R208S_100%__U_200K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 38436    | PR_DABCO 2074_R208S_100%__U_170K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 38532    | PR_DABCO NE300_R208S_100%__U_172K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 38833    | PR_SURFYN DF110C_R208S_100%__U_200K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 39262    | PR_EDMPA_R208S_100%__U_150K          | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |
| 39369    | PR_AIRTHN API470_R208S_100%__U_204K  | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES                 | 16.1            | STEEL         | YES           | BLACK | 0.9                    |

| Material | Material description                   | Drum  | Drum description                     | Changing | Empty             | Drum Material | Tight | Color   | Wall Thickness |
|----------|--|-------|--------------------------------------|----------|-------------------|---------------|-------|---------|----------------|
|          |  |       |                                      | 15 July  | Drum Weight (Kgs) |               | Head  |         |                |
| 39595    | PR_ANCAMN 2641_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 40272    | PR_AMICRE 2PIP_R76F_10/50_100%__U_15K  | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH           | NO       | 3.6               | Fiber         | No    | NATURAL |                |
| 41480    | PR_AMICRE CG1200G_R155F_100%__U_45K    | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL        | No       | 5                 | Fiber         | No    | NATURAL |                |
| 41626    | PR_DABCO PM300_R208S_100%__U_190K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 41896    | PR_AMICRE CG1200G_R76F_100%__U_15K     | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH           | NO       | 3.6               | Fiber         | No    | NATURAL |                |
| 41938    | PR_ANCAMN 2642_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 41999    | PR_ANCAMN 2646_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 43439    | PR_DABCO BA100_R208S_100%__U_205K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 44579    | PR_INTERMEDIATE P81_R208S_100%__U_200K | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54003    | PR_DABCO 1027_R208S_100%__U_217K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54005    | PR_DABCO 1028_R208S_100%__U_208K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54011    | PR_DABCO 2025_R208S_100%__U_180K       | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54013    | PR_DABCO 2039_R208S_100%__U_200K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54015    | PR_DABCO 2082_R208S_100%__U_190K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54017    | PR_DABCO 25S_R208S_100%__U_210K        | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54019    | PR_2MCHA_R208S_100%__U_175K            | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54024    | PR_DABCO 33LV_R208S_100%__U_210K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54027    | PR_DABCO 33S_R208S_100%__U_200K        | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54032    | PR_DABCO 8154_R208S_100%__U_215K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54034    | PR_DABCO 8420_R208S_100%__U_200K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54040    | PR_ANCAMN 149_R208S_100%__U_200K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54045    | PR_ANCAMN 155_R208S_100%__U_200K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54048    | PR_ANCAMN 156_R208S_100%__U_200K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54052    | PR_EPILINK 360_R208S_100%__U_200K      | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK   | 1              |
| 54054    | PR_ANQUAMD 380_R208S_100%__U_200K      | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK   | 1              |
| 54055    | PR_ANQUAMD 381_R208S_100%__U_200K      | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK   | 1              |
| 54056    | PR_EPILINK MX_R208S_100%__U_200K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54063    | PR_AIRTHN APC504_R208S_100%__U_204K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54068    | PR_AIRTHN APT888_R208S_100%__U_204K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54071    | PR_ANQUAWHT 100_R208S_100%__U_200K     | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK   | 1              |
| 54082    | PR_DABCO BL11_R208S_100%__U_180K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54083    | PR_DABCO BL13_R208S_100%__U_200K       | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54086    | PR_DABCO BL17_R208S_100%__U_215K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54088    | PR_DABCO BL19_R208S_100%__U_168K       | 32062 | RC_CNTNRDRUM_DRUM_R208S_TH_U_GREEN   | No       | 19                | STEEL         | YES   | GREEN   | 1.1            |
| 54089    | PR_DABCO BL22_R208S_100%__U_165K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54091    | PR_DABCO BLV_R208S_100%__U_200K        | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54094    | PR_DTAADDCT 1062_R208S_100%__U_190K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54095    | PR_ANCAMN 1110_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54097    | PR_ANCAMN 1365_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54099    | PR_ANCAMN 1561_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54103    | PR_ANCAMN 1618_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54105    | PR_ANCAMN 1638_R208S_100%__U_204K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54108    | PR_ANCAMD 1691_R208S_100%__U_190K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54109    | PR_ANCAMN 1704_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54110    | PR_ANCAMN 1732_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54113    | PR_ANCAMN 1768_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54115    | PR_ANCAMN 1784_R208S_100%__U_195K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54117    | PR_CATLST 1786B_R208S_100%__U_200K     | 48357 | RC_CNTNRDRUM_R208S_TH_U_BLACK__PE    | No       | 20.5              | STEEL         | YES   | BLACK   | 1              |

| Material | Material description              | Drum  | Drum description                     | Changing | Empty             | Drum Material | Tight | Color | Wall Thickness |
|----------|-----------------------------------|-------|--------------------------------------|----------|-------------------|---------------|-------|-------|----------------|
|          |                                   |       |                                      | 15 July  | Drum Weight (Kgs) |               |       |       |                |
| 54118    | PR_ANCAMN 1884_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54120    | PR_ANCAMN 1934_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54121    | PR_EDADCT 1977_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54123    | PR_ANCAMN 2021_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54126    | PR_ANCAMN 2072_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54127    | PR_ANCAMN 2074_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54130    | PR_ANCAMN 2089M_R208S_100%_U_200K | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54133    | PR_CATLST 2134_R208S_100%_U_200K  | 48357 | RC_CNTNRDRUM_R208S_TH_U_BLACK__PE    | No       | 20.5              | STEEL         | YES   | BLACK | 1              |
| 54136    | PR_ANCAMN 2143_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54138    | PR_ANCAMN 2196_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54139    | PR_ANCAMN 2199_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54145    | PR_ANCAMN 2280_R208S_100%_U_204K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54147    | PR_ANCAMN 2320_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54148    | PR_ANCAMN 2376_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54150    | PR_ANCAMN 2379_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54152    | PR_ANCAMN 2405_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54153    | PR_ANCAMN 2407_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54154    | PR_ANCAMN 2419_R208S_100%_U_200K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54156    | PR_ANCAMN 2420_R208S_100%_U_200K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54158    | PR_ANCAMN 2422_R208S_100%_U_222K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54161    | PR_ANCAMN 2432_R208S_100%_U_222K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54164    | PR_ANCAMN 2469_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54167    | PR_ANCAMN 2489_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54171    | PR_ANCAMN 2497_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54174    | PR_ANCAMN 2500_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54177    | PR_ANCAMN 2512_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54179    | PR_ANCAMN 2513_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54182    | PR_ANCAMN 2514_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54186    | PR_ANCAMN 2518_R208S_100%_U_200K  | 48357 | RC_CNTNRDRUM_R208S_TH_U_BLACK__PE    | No       | 20.5              | STEEL         | YES   | BLACK | 1              |
| 54190    | PR_ANCAMN 2519_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54192    | PR_ANCAMD 2535_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54193    | PR_ANCAMN 2570_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54195    | PR_ANCAMD 2573_R208S_100%_U_190K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54198    | PR_ANCAMN 2578_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54202    | PR_ANCAMN 2579_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54203    | PR_ANCAMN 2600_R208S_100%_U_190K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54204    | PR_ANCAMN 2601_R208S_100%_U_190K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54205    | PR_ANCAMN 2604_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54208    | PR_ANCAMN 2605_R208S_100%_U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54211    | PR_ANCAMD 2733_E1040E_100%_U_900K | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54212    | PR_ANCAMD 2733_R208S_100%_U_190K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54213    | PR_ANQUAMN 287_R208S_100%_U_200K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54214    | PR_ANQUAMD 370_R208S_100%_U_200K  | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK | 1              |
| 54215    | PR_ANCAMD 400_R208S_100%_U_190K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54218    | PR_ANQUAMN 401_R208S_100%_U_200K  | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK | 1              |
| 54219    | PR_ANQUAMN 419_R208S_100%_U_213K  | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK | 1              |
| 54224    | PR_EPILINK 660_R208S_100%_U_200K  | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK | 1              |
| 54228    | PR_EPILINK 661_R208S_100%_U_200K  | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK | 1              |

| Material | Material description                  | Drum  | Drum description                     | Changing | Empty             | Drum Material | Tight | Color | Wall Thickness |
|----------|---------------------------------------|-------|--------------------------------------|----------|-------------------|---------------|-------|-------|----------------|
|          |                                       |       |                                      | 15 July  | Drum Weight (Kgs) |               | Head  |       |                |
| 54231    | PR_ANQUAMN 670_R208S_100%__U_200K     | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK__PH    | No       | 21.3              | STEEL         | No    | BLACK | 1              |
| 54235    | PR_EPILINK 701_R208S_100%__U_195K     | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK__EP/PH | No       | 19.3              | STEEL         | No    | BLACK | 1              |
| 54236    | PR_EDADCT 870XB50_R208S_100%__U_200K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54237    | PR_EDADCT 870XPM50_R208S_100%__U_200K | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54240    | PR_ADURA 100_R208S_100%__U_204K       | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK__EP/PH | No       | 19.3              | STEEL         | No    | BLACK | 1              |
| 54242    | PR_ADURA 200_R208S_100%__U_213K       | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK__EP/PH | No       | 19.3              | STEEL         | No    | BLACK | 1              |
| 54247    | PR_ANCAMN DL-50_R208S_100%__U_225K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54250    | PR_DTAADDCT E544_R208S_100%__U_190K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54251    | PR_VERSMN EH30_R208S_100%__U_200K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54255    | PR_CHA_R208S_100%__U_174K             | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54258    | PR_ANCAMN K54_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54260    | PR_ANCAMN K61B_R208S_100%__U_200K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54262    | PR_ANCAMN MCA_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54263    | PR_VERSTHN 1090_R208S_100%__U_204K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54264    | PR_VERSTHN 1160_R208S_100%__U_204K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54266    | PR_VERSTHN 2070_R208S_100%__U_204K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54268    | PR_VERSTHN A75QM_R208S_100%__U_226K   | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54270    | PR_VERSTHN A7QM_R208S_100%__U_226K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54271    | PR_VERSTHN A85QM_R208S_100%__U_226K   | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54273    | PR_VERSTHN A85_R208S_100%__U_226K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54275    | PR_VERSTHN A88QM_R208S_100%__U_226K   | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54277    | PR_VERSTHN A8QM_R208S_100%__U_226K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54278    | PR_VERSTHN A8_R208S_100%__U_226K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54280    | PR_VERSTHN A9QM_R208S_100%__U_226K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54282    | PR_VERSTHN A9_R208S_100%__U_226K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54283    | PR_VERSTHN A9SP_R208S_100%__U_226K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54285    | PR_AIRTHN APC722_R208S_100%__U_204K   | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54286    | PR_VERSTHN D55_R208S_100%__U_226K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54288    | PR_VERSTHN D5QM_R208S_100%__U_226K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54290    | PR_VERSTHN D6_R208S_100%__U_226K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54291    | PR_VERSTHN D7_R208S_100%__U_226K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54293    | PR_VERSTHN R30TDI_R208S_100%__U_226K  | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54295    | PR_S-CURE 661_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54297    | PR_DABCO CS90_R208S_100%__U_192K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54299    | PR_VERSMN EH30_R208S_100%__U_200K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54301    | PR_TAP_R208S_100%__U_200K             | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54311    | PR_EPODIL 741_R208S_98%__U_181K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54313    | PR_EPODIL 741_R208S_74%__U_181K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54315    | PR_EPODIL 742_R208S_100%__U_220K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54319    | PR_EPODIL 746_R208S_100%__U_190K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54321    | PR_EPODIL 747_R208S_100%__U_181K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54325    | PR_EPODIL 748_R208S_100%__U_181K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54327    | PR_EPODIL 748_R208S_100%__U_181K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54329    | PR_EPODIL 749_R208S_100%__U_217K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54331    | PR_EPODIL 750_R208S_100%__U_217K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54333    | PR_EPODIL 757_R208S_100%__U_217K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54336    | PR_EPODIL 759_R208S_100%__U_181K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK        | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54337    | PR_DABCO DA20_R208S_100%__U_180K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |

| Material | Material description                | Drum  | Drum description                    | Changing | Empty             | Drum Material | Tight | Color | Wall Thickness |
|----------|-------------------------------------|-------|-------------------------------------|----------|-------------------|---------------|-------|-------|----------------|
|          |                                     |       |                                     | 15 July  | Drum Weight (Kgs) |               |       |       |                |
| 54344    | PR_DBU_R208S_100%_U_204K            | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54346    | PR_DABCO DC1_R208S_100%_U_213K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54348    | PR_DABCO DC2_R208S_100%_U_213K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54355    | PR_DABCO DC197_R208S_100%_U_200K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54359    | PR_DABCO DC21_R208S_100%_U_210K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54363    | PR_DABCO DC2525_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54366    | PR_DABCO DC2584_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54369    | PR_DABCO DC2585_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54378    | PR_DABCO DC4000_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54381    | PR_DABCO DC4020_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54387    | PR_DABCO DC5043_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54398    | PR_DABCO DC5160_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54424    | PR_DABCO DC5526_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54440    | PR_DABCO DC5598_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54443    | PR_DABCO DC5604_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54454    | PR_DABCO DC5901_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54464    | PR_DABCO DC5950_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54472    | PR_DCHA_R208S_100%_U_188K           | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54478    | PR_DECHA_R208S_100%_U_174K          | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54483    | PR_DABCO DEOALF_R208S_100%_U_213K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54490    | PR_DABCO DM9793_R208S_100%_U_200K   | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54501    | PR_DMAPA_R208S_100%_U_167K          | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54519    | PR_DABCO VP137_R208S_100%_U_192K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54524    | PR_ECHA_R208S_100%_U_174K           | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54535    | PR_DABCO EG_R208S_100%_U_220K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54538    | PR_SURFYN 104E_R208S_100%_U_181K    | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54558    | PR_DABCO 1034_R208S_100%_U_204K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54563    | PR_DABCO 2021_R208S_100%_U_200K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54566    | PR_DABCO FO2051_R208S_100%_U_180K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54567    | PR_DABCO H1010_R208S_100%_U_226K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54569    | PR_AMICRE 101_R208S_100%_U_192K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54570    | PR_ANCAMN 125_R208S_100%_U_200K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54571    | PR_ANCAMN 1482SPC_R208S_100%_U_200K | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54572    | PR_ANCAMN 1482_R208S_100%_U_217K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54573    | PR_ANCAMN 1483_R208S_100%_U_215K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54575    | PR_ANCAMN 1608_R208S_100%_U_195K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54577    | PR_ANCAMN 1617_R208S_100%_U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54579    | PR_ANCAMN 1637LV_R208S_100%_U_204K  | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54582    | PR_ANCAMN 1637_R208S_100%_U_204K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54583    | PR_ANCAMN 1644_R208S_100%_U_195K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54584    | PR_ANCAMN 1693HV_R208S_100%_U_213K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54587    | PR_ANCAMN 1693_R208S_100%_U_213K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54588    | PR_ANCAMN 1721_R208S_100%_U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54589    | PR_ANCAMN 1734_R208S_100%_U_225K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54590    | PR_ANCAMN 1735_R208S_100%_U_225K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54592    | PR_ANCAMN 1767_R208S_100%_U_195K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54594    | PR_ANCAMN 1769_R208S_100%_U_204K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54595    | PR_ANCAMN 1770_R208S_100%_U_190K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |

| Material | Material description                   | Drum  | Drum description                         | Changing | Empty             | Drum Material | Tight | Color   | Wall Thickness |
|----------|--|-------|--|----------|-------------------|---------------|-------|---------|----------------|
|          |  |       |  | 15 July  | Drum Weight (Kgs) |               |       |         |                |
| 54598    | PR_ANCAMN 1856_R208S_100%__U_190K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54602    | PR_ANCAMN 1895_R208S_100%__U_200K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54603    | PR_ANCAMN 1916_R208S_100%__U_215K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54605    | PR_ANCAMN 1922A_R208S_100%__U_204K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54606    | PR_ANCAMN 2014A_R208S_100%__U_158K     | 32085 | RC_CNTNRDRUM_R208S_OH_U_BLACK_LEVER LOCK | No       | 22                | STEEL         | No    | BLACK   | 1.1            |
| 54613    | PR_ANCAMD 2050_R208S_100%__U_190K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54614    | PR_ANCAMN 2071_R208S_100%__U_204K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54617    | PR_ANCAMD 2137_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54619    | PR_ANCAMN 2167_R208S_100%__U_192K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54622    | PR_ANCAMD 220IPA73_R208S_100%__U_181K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54625    | PR_ANCAMD 220X70_R208S_100%__U_190K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54626    | PR_ANCAMD 220S70_R208S_100%__U_190K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54627    | PR_ANCAMD 220B70_R208S_100%__U_172K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54628    | PR_ANCAMD 220_R208S_100%__U_190K       | 48359 | RC_CNTNRDRUM_R208S_OH_U_BLACK            | No       | 21.3              | STEEL         | No    | BLACK   | 1.1            |
| 54630    | PR_ANCAMN 2200_R208S_100%__U_190K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54631    | PR_ANCAMN 2205_R208S_100%__U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54632    | PR_ANCAMN 2208_R208S_100%__U_204K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54634    | PR_ANCAMN 2264_R208S_100%__U_192K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54637    | PR_ANCAMN 2286_R208S_100%__U_204K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54638    | PR_ANCAMN 2334_R208S_100%__U_217K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54639    | PR_ANCAMN 2336_R208S_100%__U_204K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54640    | PR_ANCAMN 2337S_R76F_100%__U_15K       | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH               | NO       | 3.6               | Fiber         | No    | NATURAL |                |
| 54641    | PR_ANCAMN 2337S_R155F_100%__U_45K      | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL            | No       | 5                 | Fiber         | No    | NATURAL |                |
| 54646    | PR_ANCAMD 2349_R208S_100%__U_186K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54650    | PR_ANCAMD 2353_R208S_100%__U_204K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54651    | PR_ANCAMN 2357_R208S_100%__U_204K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54654    | PR_ANCAMN 2368_R208S_100%__U_206K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54656    | PR_ANCAMN 2384_R208S_100%__U_200K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54657    | PR_ANCAMN 2385_R208S_100%__U_208K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54659    | PR_ANCAMD 2386_R208S_100%__U_195K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54661    | PR_ANCAMN 2390_R208S_100%__U_195K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54664    | PR_ANCAMD 2396_R208S_100%__U_204K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54665    | PR_ANCAMN 2398_R208S_100%__U_213K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54667    | PR_ANCAMN 2410B75_R208S_100%__U_213K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54668    | PR_ANCAMN 2410IPA75_R208S_100%__U_213K | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54669    | PR_ANCAMN 2410BZA68_R208S_100%__U_204K | 48359 | RC_CNTNRDRUM_R208S_OH_U_BLACK            | No       | 21.3              | STEEL         | No    | BLACK   | 1.1            |
| 54670    | PR_ANCAMN 2410_R208S_100%__U_204K      | 48359 | RC_CNTNRDRUM_R208S_OH_U_BLACK            | No       | 21.3              | STEEL         | No    | BLACK   | 1.1            |
| 54674    | PR_ANCAMD 2421_R208S_100%__U_186K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54676    | PR_ANCAMN 2423_R208S_100%__U_204K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54678    | PR_ANCAMD 2424_R208S_100%__U_204K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54680    | PR_ANCAMD 2426_R208S_100%__U_195K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54682    | PR_ANCAMN 2440_R208S_100%__U_213K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54683    | PR_ANCAMN 2441INT_R208S_100%__U_113K   | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK__EP/PH     | No       | 19.3              | STEEL         | No    | BLACK   | 1              |
| 54689    | PR_ANCAMD 2443_R208S_100%__U_195K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54690    | PR_ANCAMD 2444_R208S_100%__U_204K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54694    | PR_ANCAMD 2445_R208S_100%__U_204K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54695    | PR_ANCAMD 2447_R208S_100%__U_186K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54699    | PR_ANCAMN 2450_R208S_100%__U_192K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |

| Material | Material description                 | Drum  | Drum description              | Changing | Empty             | Drum Material | Tight | Color | Wall Thickness |
|----------|--------------------------------------|-------|-------------------------------|----------|-------------------|---------------|-------|-------|----------------|
|          |                                      |       |                               | 15 July  | Drum Weight (Kgs) |               |       |       |                |
| 54701    | PR_ANCAMN 2457_R208S_100%__U_172K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54703    | PR_ANCAMN 2458_R208S_100%__U_167K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54705    | PR_ANCAMN 2459_R208S_100%__U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54706    | PR_ANCAMD 2472_R208S_100%__U_195K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54709    | PR_ANCAMN 2480_R208S_100%__U_204K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54711    | PR_ANCAMN 2481_R208S_100%__U_213K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54712    | PR_ANCAMD 2482_R208S_100%__U_200K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54713    | PR_ANCAMD 2484_R208S_100%__U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54716    | PR_ANCAMN 2486_R208S_100%__U_204K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54717    | PR_ANCAMD 2488_R208S_100%__U_204K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54720    | PR_ANCAMN 2505_R208S_100%__U_204K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54722    | PR_ANCAMN 2525A_R208S_100%__U_195K   | 48359 | RC_CNTNRDRUM_R208S_OH_U_BLACK | No       | 21.3              | STEEL         | No    | BLACK | 1.1            |
| 54723    | PR_ANCAMN 2526_R208S_100%__U_190K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54727    | PR_ANCAMN 2553_R208S_100%__U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54728    | PR_ANCAMN 2557_R208S_100%__U_204K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54729    | PR_ANCAMN 2558_R208S_100%__U_192K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54730    | PR_ANCAMN 2564_R208S_100%__U_204K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54731    | PR_ANCAMN 2565_R208S_100%__U_204K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54735    | PR_ANCAMD 2569_R208S_100%__U_204K    | 48359 | RC_CNTNRDRUM_R208S_OH_U_BLACK | No       | 21.3              | STEEL         | No    | BLACK | 1.1            |
| 54736    | PR_ANCAMN 2580_R208S_100%__U_222K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54738    | PR_ANCAMD 2582_R208S_100%__U_181K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54741    | PR_ANCAMN 2587_R208S_100%__U_222K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54742    | PR_ANCAMD 260TN_R208S_100%__U_190K   | 48359 | RC_CNTNRDRUM_R208S_OH_U_BLACK | No       | 21.3              | STEEL         | No    | BLACK | 1.1            |
| 54743    | PR_ANCAMD 260A_R208S_100%__U_190K    | 48359 | RC_CNTNRDRUM_R208S_OH_U_BLACK | No       | 21.3              | STEEL         | No    | BLACK | 1.1            |
| 54745    | PR_ANCAMD 260A_R208S_100%__U_190K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54746    | PR_ANCAMN 2613_R208S_100%__U_204K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54753    | PR_ANCAMN 2625_R208S_100%__U_204K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54757    | PR_ANCAMD 2634_R208S_100%__U_200K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54760    | PR_ANCAMD 350BH_R208S_100%__U_190K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54761    | PR_ANCAMD 350HY_R208S_100%__U_190K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54762    | PR_ANCAMD 350AD_R208S_100%__U_190K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54764    | PR_ANCAMD 350A_R208S_100%__U_190K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54766    | PR_ANCAMD 375A_R208S_100%__U_190K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54767    | PR_ANCAMD 440BX60_R208S_100%__U_190K | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54768    | PR_ANCAMD 500BCP_R208S_100%__U_186K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54770    | PR_ANCAMD 500_R208S_100%__U_186K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54772    | PR_ANCAMD 501_R208S_100%__U_186K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54773    | PR_ANCAMD 502HD_R208S_100%__U_186K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54777    | PR_ANCAMD 502_R208S_100%__U_186K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54780    | PR_ANCAMD 503_R208S_100%__U_186K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54783    | PR_ANCAMD 506_R208S_100%__U_186K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54785    | PR_ANCAMD 507_R208S_100%__U_186K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54787    | PR_ANCAMD 700B75_R208S_100%__U_190K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54788    | PR_ANCAMD 700X75_R208S_100%__U_190K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54789    | PR_ANCAMD 801_R208S_100%__U_195K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54791    | PR_ANCAMD 805_R208S_100%__U_195K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54793    | PR_ANCAMD 910A_R208S_100%__U_195K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |
| 54795    | PR_ANCAMD 910_R208S_100%__U_195K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK | YES      | 16.1              | STEEL         | YES   | BLACK | 0.9            |

| Material | Material description                   | Drum  | Drum description                    | Changing | Empty             | Drum Material | Tight | Color   | Wall Thickness |
|----------|--|-------|-------------------------------------|----------|-------------------|---------------|-------|---------|----------------|
|          |  |       |                                     | 15 July  | Drum Weight (Kgs) |               |       |         |                |
| 54796    | PR_ANCAMN 9360_R208S_100%_U_226K       | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK_PH    | No       | 21.3              | STEEL         | No    | BLACK   | 1              |
| 54797    | PR_ANCAMN 9470_R208S_100%_U_200K       | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK_PH    | No       | 21.3              | STEEL         | No    | BLACK   | 1              |
| 54800    | PR_ANCAMN AD_R208S_100%_U_204K         | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54803    | PR_ANCAMN AEP_R208S_100%_U_200K        | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54813    | PR_DABCO HB_R208S_100%_U_208K          | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54818    | PR_AMICRE CG1200_R76F_100%_U_15K       | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH          | NO       | 3.6               | Fiber         | No    | NATURAL |                |
| 54819    | PR_AMICRE CG1200_R155F_100%_U_45K      | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No    | NATURAL |                |
| 54820    | PR_DICYNX 1400B_R155F_100%_U_45K       | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No    | NATURAL |                |
| 54821    | PR_AMICRE CG1400_R76F_100%_U_15K       | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH          | NO       | 3.6               | Fiber         | No    | NATURAL |                |
| 54822    | PR_AMICRE CG1400_R155F_100%_U_45K      | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No    | NATURAL |                |
| 54823    | PR_AMICRE CG325_R76F_100%_U_15K        | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH          | NO       | 3.6               | Fiber         | No    | NATURAL |                |
| 54824    | PR_AMICRE CG325_R155F_100%_U_68K       | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No    | NATURAL |                |
| 54826    | PR_DICYNX 1200F_R155F_100%_U_68K       | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No    | NATURAL |                |
| 54827    | PR_DICYNX 1200_R155F_100%_U_68K        | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No    | NATURAL |                |
| 54828    | PR_DICYNX 1400D_R76F_100%_U_15K        | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH          | NO       | 3.6               | Fiber         | No    | NATURAL |                |
| 54829    | PR_AMICRE CGNA_R155F_200µM_100%_U_100K | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No    | NATURAL |                |
| 54831    | PR_DICYNX 325_R155F_100%_U_68K         | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No    | NATURAL |                |
| 54835    | PR_ANCAMN DETA_R208S_100%_U_200K       | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54837    | PR_ANCHOR IPD_R208S_100%_U_180K        | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54838    | PR_ANCAMN LO_R208S_100%_U_215K         | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54839    | PR_ANCAMN LOS_R208S_100%_U_215K        | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54840    | PR_ANCAMN LV_R208S_100%_U_225K         | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54841    | PR_ANCAMN LVS_R208S_100%_U_225K        | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54850    | PR_CURZL 2MZAZINE_R61F_5/7_100%_U_18K  | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No    | NATURAL |                |
| 54854    | PR_CURZL 2PHZ_R76F_7/10_100%_U_18K     | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH          | NO       | 3.6               | Fiber         | No    | NATURAL |                |
| 54855    | PR_CURZL 2PHZ_R155F_7/10_100%_U_45K    | 32016 | RC_CNTNRDRUM_R155F_OH_NATURAL       | No       | 5                 | Fiber         | No    | NATURAL |                |
| 54857    | PR_SUR-WET R_R208S_100%_U_190K         | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54859    | PR_DEFT RB5_R208S_100%_U_190K          | 48359 | RC_CNTNRDRUM_R208S_OH_U_BLACK       | No       | 21.3              | STEEL         | No    | BLACK   | 1.1            |
| 54862    | PR_ANCAMN T_R208S_100%_U_204K          | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54864    | PR_ANCAMN T1_R208S_100%_U_204K         | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54867    | PR_ANCAMN TEPA_R208S_100%_U_200K       | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54870    | PR_ANCAMN TETA_R208S_100%_U_200K       | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54871    | PR_ANCAMN TL_R208S_100%_U_225K         | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54872    | PR_ANCAMN TLS_R208S_100%_U_225K        | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54875    | PR_AMICRE UR_R76F_UNGD_100%_U_15K      | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH          | NO       | 3.6               | Fiber         | No    | NATURAL |                |
| 54876    | PR_AMICRE UR2T_R76F_100%_U_15K         | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH          | NO       | 3.6               | Fiber         | No    | NATURAL |                |
| 54879    | PR_ANCAMN XT_R208S_100%_U_204K         | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54881    | PR_ANCAMN Y_R208S_100%_U_226K          | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54900    | PR_ANCAMN Z_R208S_100%_U_226K          | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54901    | PR_ICY001_R208S_100%_U_180K            | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54904    | PR_DABCO K15_R208S_100%_U_226K         | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54905    | PR_DABCO K2059_R208S_100%_U_220K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54908    | PR_DABCO K2075_R208S_100%_U_220K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54910    | PR_DABCO K2097_R208S_100%_U_250K       | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54914    | PR_DABCO KIT20AS_R208S_100%_U_200K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54915    | PR_DABCO LK221E_R208S_100%_U_204K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54917    | PR_DABCO LK221_R208S_100%_U_204K       | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |
| 54921    | PR_DABCO LK443E_R208S_100%_U_204K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK       | YES      | 16.1              | STEEL         | YES   | BLACK   | 0.9            |

| Material | Material description               | Drum  | Drum description                         | Changing | Empty             | Drum Material | Tight | Color        | Wall Thickness |
|----------|------------------------------------|-------|--|----------|-------------------|---------------|-------|--------------|----------------|
|          |                                    |       |  | 15 July  | Drum Weight (Kgs) |               | Head  |              |                |
| 54923    | PR_DABCO LK443_R208S_100%_U_204K   | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54928    | PR_DABCO MD45_R208S_100%_U_213K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54936    | PR_MIPA_R208S_70%_U_160K           | 32048 | RC_CNTNRDRUM_R208S_TH_U_GREEN/YELLOW     | No       | 20                | STEEL         | YES   | GREEN/YELLOW | 1.1            |
| 54939    | PR_MIPA_R208S_99.5%_U_125K         | 32075 | RC_CNTNRDRUM_R208S_TH_U_GREEN_1.4MM GAU  | No       | 25                | STEEL         | YES   | GREEN        | 1.4            |
| 54942    | PR_EPODIL L_R208S_100%_U_200K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54945    | PR_METHYLAMINE_R208S_40%_R_175K    | 32048 | RC_CNTNRDRUM_R208S_TH_U_GREEN/YELLOW     | No       | 20                | STEEL         | YES   | GREEN/YELLOW | 1.1            |
| 54950    | PR_MNBA_R208S_99.5%_U_150K         | 32062 | RC_CNTNRDRUM_DRUM_R208S_TH_U_GREEN       | No       | 19                | STEEL         | YES   | GREEN        | 1.1            |
| 54953    | PR_MNPA_R208S_99%_U_145K           | 32048 | RC_CNTNRDRUM_R208S_TH_U_GREEN/YELLOW     | No       | 20                | STEEL         | YES   | GREEN/YELLOW | 1.1            |
| 54955    | PR_MPCA_R208S_100%_U_192K          | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54957    | PR_N201_R208S_100%_U_210K          | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH      | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54961    | PR_N203_R208S_100%_U_220K          | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH      | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54965    | PR_NOURYBND 272_R208S_100%_U_180K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54967    | PR_NOURYBND 276_R208S_100%_U_180K  | 48361 | RC_CNTNRDRUM_R208S_OH_L_BLACK_PH         | No       | 21.3              | STEEL         | No    | BLACK        | 1              |
| 54969    | PR_DABCO NE1060_R208S_100%_U_204K  | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54972    | PR_DABCO NE1070_R208S_100%_U_204K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH      | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54974    | PR_DABCO NE200_R208S_100%_U_204K   | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54976    | PR_DABCO NE210_R208S_100%_U_204K   | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54978    | PR_DABCO NE400_R208S_100%_U_200K   | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54987    | PR_OTD_R208S_100%_U_200K           | 32056 | RC_CNTNRDRUM_R208S_TH_L_GREEN_RUST INHIB | No       | 19                | STEEL         | YES   | GREEN        | 1.1            |
| 54990    | PR_VERSLNK(1000)_R208S_100%_U_200K | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH      | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54992    | PR_VERSLNK(250)_R208S_100%_U_200K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH      | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54994    | PR_VERSLNK(650)_R208S_100%_U_200K  | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH      | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54996    | PR_PACM_R208S_100%_U_192K          | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54997    | PR_POLYCT PC1058_R208S_100%_U_220K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 54998    | PR_POLYCT 11_R208S_100%_U_172K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55000    | PR_POLYCT 12_R208S_100%_U_170K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55001    | PR_POLYCT 13_R208S_100%_U_170K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55004    | PR_POLYCT 15_R208S_100%_U_170K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55007    | PR_POLYCT 17_R208S_100%_U_181K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55009    | PR_POLYCT 23_R208S_100%_U_181K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55011    | PR_POLYCT 33_R208S_100%_U_170K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55017    | PR_POLYCT 41_R208S_100%_U_181K     | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK_EP/PH      | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55020    | PR_POLYCT 43_R208S_100%_U_204K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55023    | PR_POLYCT 46_R208S_100%_U_204K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55026    | PR_POLYCT 58_R208S_100%_U_165K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55031    | PR_POLYCT 5_R208S_100%_U_170K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55036    | PR_POLYCT 63_R208S_100%_U_167K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55040    | PR_POLYCT 77_R208S_100%_U_167K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55044    | PR_POLYCT 8_R208S_100%_U_172K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55049    | PR_POLYCT 9_R208S_100%_U_170K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55051    | PR_POLYCT BP_R208S_100%_U_170K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55052    | PR_POLYCT CC_R208S_100%_U_176K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55057    | PR_POLYCT DWK_R208S_100%_U_176K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55060    | PR_POLYCT FR5_R208S_100%_U_176K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55064    | PR_POLYCT SA102_R208S_100%_U_204K  | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55066    | PR_POLYCT SA1/10_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55067    | PR_POLYCT SA1_R208S_100%_U_215K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55068    | PR_POLYCT SSC_R208S_100%_U_167K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |

| Material | Material description               | Drum  | Drum description                         | Changing | Empty             | Drum Material | Tight | Color        | Wall Thickness |
|----------|------------------------------------|-------|--|----------|-------------------|---------------|-------|--------------|----------------|
|          |                                    |       |  | 15 July  | Drum Weight (Kgs) |               | Head  |              |                |
| 55070    | PR_POLYCT WCA_R208S_100%_U_176K    | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55074    | PR_PEP 176_R208S_100%_U_204K       | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55076    | PR_AIRTHN PET60D_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55077    | PR_AIRTHN PET70D_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55079    | PR_AIRTHN PET75D_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55081    | PR_AIRTHN PET80A_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55082    | PR_AIRTHN PET85A_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55084    | PR_AIRTHN PET90A_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55086    | PR_AIRTHN PET91A_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55087    | PR_AIRTHN PET93A_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55089    | PR_AIRTHN PET95A_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55090    | PR_AIRTHN PHP70A_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55091    | PR_AIRTHN PHP70D_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55092    | PR_AIRTHN PHP75D_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55095    | PR_AIRTHN PPT65D_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55096    | PR_AIRTHN PPT75D_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55098    | PR_AIRTHN PPT80A_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55099    | PR_AIRTHN PPT95A_R208S_100%_U_204K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55105    | PR_AIRTHN PST80A_R208S_100%_U_226K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55106    | PR_AIRTHN PST85A_R208S_100%_U_226K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55108    | PR_AIRTHN PST90A_R208S_100%_U_226K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55109    | PR_AIRTHN PST95A_R208S_100%_U_226K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55111    | PR_DABCO R8020_R208S_100%_U_181K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH     | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55112    | PR_NOURYBND 289A_R208S_100%_U_181K | 32083 | RC_CNTNRDRUM_DRUM_R208S_OH_U_GREEN       | No       | 22                | STEEL         | No    | GREEN        | 1.1            |
| 55118    | PR_ANCRZ AR550_R208S_100%_U_215K   | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK__EP/PH     | No       | 19.3              | STEEL         | No    | BLACK        | 1              |
| 55122    | PR_ANCRZ 718NC_R208S_100%_U_226K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55123    | PR_DABCO SE_R208S_100%_U_200K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55124    | PR_AMICRE KT22_R208S_100%_U_167K   | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55125    | PR_DABCO T10_R208S_100%_U_227K     | 32064 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | No       | 17                | STEEL         | YES   | BLACK        | 0.9            |
| 55150    | PR_TDA_R208S_100%_U_200K           | 32056 | RC_CNTNRDRUM_R208S_TH_L_GREEN_RUST INHIB | No       | 19                | STEEL         | YES   | GREEN        | 1.1            |
| 55153    | PR_TEA_R208S_99.5%_U_145K          | 32048 | RC_CNTNRDRUM_R208S_TH_U_GREEN/YELLOW     | No       | 20                | STEEL         | YES   | iREEN/YELLOV | 1.1            |
| 55156    | PR_DABCO TL_R208S_100%_U_200K      | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55159    | PR_TMA_R208S_25%_U_180K            | 32048 | RC_CNTNRDRUM_R208S_TH_U_GREEN/YELLOW     | No       | 20                | STEEL         | YES   | iREEN/YELLOV | 1.1            |
| 55162    | PR_TMA_R208S_40%_U_170K            | 32048 | RC_CNTNRDRUM_R208S_TH_U_GREEN/YELLOW     | No       | 20                | STEEL         | YES   | iREEN/YELLOV | 1.1            |
| 55167    | PR_DABCO TMR13_R208S_100%_U_200K   | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH     | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55169    | PR_DABCO TMR2_R208S_100%_U_199K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55172    | PR_DABCO TMR3_R208S_100%_U_208K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55174    | PR_DABCO TMR4_R208S_100%_U_213K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55175    | PR_DABCO TMR5_R208S_100%_U_200K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55179    | PR_DABCO TMR_R208S_100%_U_200K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55183    | PR_TNBA_R208S_99.5%_U_155K         | 32062 | RC_CNTNRDRUM_DRUM_R208S_TH_U_GREEN       | No       | 19                | STEEL         | YES   | GREEN        | 1.1            |
| 55185    | PR_TNBA_R208S_98%_U_155K           | 32062 | RC_CNTNRDRUM_DRUM_R208S_TH_U_GREEN       | No       | 19                | STEEL         | YES   | GREEN        | 1.1            |
| 55188    | PR_TNPA_R208S_98.5%_U_155K         | 32062 | RC_CNTNRDRUM_DRUM_R208S_TH_U_GREEN       | No       | 19                | STEEL         | YES   | GREEN        | 1.1            |
| 55190    | PR_DABCO T_R208S_100%_U_181K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55192    | PR_TYCEL 7991_R208S_100%_R_227K    | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55196    | PR_VS-103_R208S_100%_U_172K        | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES      | 16.1              | STEEL         | YES   | BLACK        | 0.9            |
| 55197    | PR_WD4110_R208S_100%_U_204K        | 48362 | RC_CNTNRDRUM_R208S_TH_L_YELLOW           | No       | 17.2              | STEEL         | YES   | YELLOW       | 1              |
| 55199    | PR_DABCO WT_R208S_100%_U_238K      | 48357 | RC_CNTNRDRUM_R208S_TH_U_BLACK__PE        | No       | 20.5              | STEEL         | YES   | BLACK        | 1              |

| Material | Material description                    | Drum  | Drum description                         | Changing<br>15 July | Empty<br>Drum<br>Weight<br>(Kgs) | Drum Material | Tight<br>Head | Color        | Wall Thickness<br>(mm) |
|----------|---|-------|--|---------------------|----------------------------------|---------------|---------------|--------------|------------------------|
| 55202    | PR_DABCO XAG_R208S_100%__U_149K         | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55204    | PR_DABCO XED20B_R208S_100%__U_200K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH     | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55205    | PR_ANCAMN 2609_R208S_100%__U_180K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55209    | PR_ANCAMN 2014FG_R76F_100%__U_15K       | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH               | NO                  | 3.6                              | Fiber         | No            | NATURAL      |                        |
| 55210    | PR_ANCAMN 2014AS_R76F_100%__U_15K       | 32020 | RC_CNTNRDRUM_R76F_KRT_U_OH               | NO                  | 3.6                              | Fiber         | No            | NATURAL      |                        |
| 55224    | PR_POLYCT 40_R208S_100%__U_170K         | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55250    | PR_ANCAMN 2442INT_R208S_100%__U_104K    | 48360 | RC_CNTNRDRUM_R208S_OH_L_BLACK__EP/PH     | No                  | 19.3                             | STEEL         | No            | BLACK        | 1                      |
| 55265    | PR_AIRTHN PST70A_R208S_100%__U_226K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55268    | PR_AIRTHN PHP80D_R208S_100%__U_204K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55277    | PR_ANCAMN 2608_R208S_100%__U_200K       | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55279    | PR_DABCO DC6070_R208S_100%__U_200K      | 48368 | RC_CNTNRDRUM_R208S_TH_L_BLACK__EP/PH     | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55281    | PR_DABCO KTM60_R208S_100%__U_200K       | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55285    | PR_RCCATLST 6080_R208S_100%__R_200K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55287    | PR_RCCATLST 6069_R208S_100%__R_200K     | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55288    | PR_RCCATLST 6099_R208S_100%__R_191K     | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55289    | PR_DESMRPD 726B_R208S_100%__R_170K      | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55290    | PR_DESMRPD PV_R208S_100%__R_160K        | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55291    | PR_TDA_R208S_100%__U_173K               | 32056 | RC_CNTNRDRUM_R208S_TH_L_GREEN_RUST INHIB | No                  | 19                               | STEEL         | YES           | GREEN        | 1.1                    |
| 55294    | PR_MX02L_R208S__MIPA_IPA:20%__U         | 32048 | RC_CNTNRDRUM_R208S_TH_U_GREEN/YELLOW     | No                  | 20                               | STEEL         | YES           | GREEN/YELLOW | 1.1                    |
| 55665    | PR_MX02L_R208S__CH3OH_H3BO3:20%__U_168K | 48358 | RC_CNTNRDRUM_R208S_TH_L_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |
| 55710    | PR_ANCAMD 2445 INT_R208S_100%__190K     | 48359 | RC_CNTNRDRUM_R208S_OH_U_BLACK            | No                  | 21.3                             | STEEL         | No            | BLACK        | 1.1                    |
| 55760    | BK_IRESX70__100%                        | 48366 | RC_CNTNRDRUM_R208S_TH_U_BLACK            | YES                 | 16.1                             | STEEL         | YES           | BLACK        | 0.9                    |